







Request an Appointment
Find a Doctor
Find a Job
Give Now



Patient Care & Health Information > Diseases & Conditions

Depression (major depressive disorder)



Symptoms & causes

Diagnosis & treatment

Doctors & departments

Care at Mayo Clinic

Overview



Advertisement

Depression is a mood disorder that causes a persistent feeling of sadness and loss of interest. Also called major depressive disorder or clinical depression, it affects how you feel, think and behave and can lead to a variety of emotional and physical problems. You may have trouble doing normal day-to-day activities, and sometimes you may feel as if life isn't worth living.

More than just a bout of the blues, depression isn't a weakness and you can't simply "snap out" of it. Depression may require long-term treatment. But don't get discouraged. Most people with depression feel better with medication, psychotherapy or both.

Depression care at Mayo Clinic

Symptoms

Although depression may occur only once during your life, people typically have multiple episodes. During these episodes, symptoms occur most of the day, nearly every day and may include:

- Feelings of sadness, tearfulness, emptiness or hopelessness
- Angry outbursts, irritability or frustration, even over small matters
- Loss of interest or pleasure in most or all normal activities, such as sex, hobbies or sports
- Sleep disturbances, including insomnia or sleeping too much
- Tiredness and lack of energy, so even small tasks take extra effort
- Reduced appetite and weight loss or increased cravings for food and weight gain
- Anxiety, agitation or restlessness
- Slowed thinking, speaking or body movements
- Feelings of worthlessness or guilt, fixating on past failures or self-blame
- Trouble thinking, concentrating, making decisions and remembering things
- Frequent or recurrent thoughts of death, suicidal thoughts, suicide attempts or suicide
- Unexplained physical problems, such as back pain or headaches

For many people with depression, symptoms usually are severe enough to cause noticeable problems in day-to-day activities, such as work, school, social activities or



LEARN MORE >

See Important Safety Information below.

Important Information

Approved Use

INGREZZA® (valbenazine) capsules is a prescription medic used to treat adults with movements in the face, tongue, or other body parts that cannot be controlled (tardive dyskines

It is not known if INGREZZA is safe and effective in childre

IMPORTANT SAFETY INFORMATION

INGREZZA may cause serious side effects, includir

- Sleepiness (somnolence). Do not drive, operate heavy machinery, or do other dangerous activities until you known how INGREZZA affects you.
- Heart rhythm problems (QT prolongation). INGREZZ/

Mayo Clinic does not endorse companies or products. Advertising revenue supports our not-for-profit mission.

Advertising & Sponsorship
Policy | Opportunities | Ad Choices

Mayo Clinic Marketplace

Check out these best-sellers and special offers on books and newsletters from Mayo Clinic.

The Last Diet You'll Ever Need

Mayo Clinic on Healthy Aging

A New Perspective on Alzheimer's

Stop Osteoporosis in its Tracks

relationships with others. Some people may feel generally miserable or unhappy without really knowing why.

Depression symptoms in children and teens

Common signs and symptoms of depression in children and teenagers are similar to those of adults, but there can be some differences.

- In younger children, symptoms of depression may include sadness, irritability, clinginess, worry, aches and pains, refusing to go to school, or being underweight.
- In teens, symptoms may include sadness, irritability, feeling negative and worthless, anger, poor performance or poor attendance at school, feeling misunderstood and extremely sensitive, using recreational drugs or alcohol, eating or sleeping too much, self-harm, loss of interest in normal activities, and avoidance of social interaction.

Depression symptoms in older adults

Depression is not a normal part of growing older, and it should never be taken lightly. Unfortunately, depression often goes undiagnosed and untreated in older adults, and they may feel reluctant to seek help. Symptoms of depression may be different or less obvious in older adults, such as:

- Memory difficulties or personality changes
- Physical aches or pain
- Fatigue, loss of appetite, sleep problems or loss of interest in sex — not caused by a medical condition or medication
- Often wanting to stay at home, rather than going out to socialize or doing new things

FREE TRIAL – Mayo Clinic Health Letter

Advertisement

Lung Cancer Information

Learn More About a Treatment Option Lung Cancer.

treatment-for-nsclc.com



Suicidal thinking or feelings, especially in older men

When to see a doctor

If you feel depressed, make an appointment to see your doctor or mental health professional as soon as you can. If you're reluctant to seek treatment, talk to a friend or loved one, any health care professional, a faith leader, or someone else you trust.

When to get emergency help

If you think you may hurt yourself or attempt suicide, call 911 or your local emergency number immediately.

Also consider these options if you're having suicidal thoughts:

- · Call your doctor or mental health professional.
- Call a suicide hotline number in the U.S., call the National Suicide Prevention Lifeline at 1-800-273-TALK (1-800-273-8255). Use that same number and press "1" to reach the Veterans Crisis Line.
- Reach out to a close friend or loved one.
- Contact a minister, spiritual leader or someone else in your faith community.

If you have a loved one who is in danger of suicide or has made a suicide attempt, make sure someone stays with that person. Call 911 or your local emergency number immediately. Or, if you think you can do so safely, take the person to the nearest hospital emergency room.



Request an Appointment at Mayo Clinic

Causes

It's not known exactly what causes depression. As with many mental disorders, a variety of factors may be involved, such as:

- **Biological differences.** People with depression appear to have physical changes in their brains. The significance of these changes is still uncertain, but may eventually help pinpoint causes.
- Brain chemistry. Neurotransmitters are naturally occurring brain chemicals that likely play a role in depression. Recent research indicates that changes in the function and effect of these neurotransmitters and how they interact with neurocircuits involved in maintaining mood stability may play a significant role in depression and its treatment.
- Hormones. Changes in the body's balance of hormones may be involved in causing or triggering depression.
 Hormone changes can result with pregnancy and during the weeks or months after delivery (postpartum) and from thyroid problems, menopause or a number of other conditions.
- Inherited traits. Depression is more common in people whose blood relatives also have this condition.
 Researchers are trying to find genes that may be involved in causing depression.

Risk factors

Depression often begins in the teens, 20s or 30s, but it can happen at any age. More women than men are diagnosed with depression, but this may be due in part because women are more likely to seek treatment.

Factors that seem to increase the risk of developing or triggering depression include:

- Certain personality traits, such as low self-esteem and being too dependent, self-critical or pessimistic
- Traumatic or stressful events, such as physical or sexual abuse, the death or loss of a loved one, a difficult relationship, or financial problems
- Blood relatives with a history of depression, bipolar disorder, alcoholism or suicide
- Being lesbian, gay, bisexual or transgender, or having variations in the development of genital organs that aren't clearly male or female (intersex) in an unsupportive situation
- History of other mental health disorders, such as anxiety disorder, eating disorders or post-traumatic stress disorder
- Abuse of alcohol or recreational drugs
- Serious or chronic illness, including cancer, stroke, chronic pain or heart disease
- Certain medications, such as some high blood pressure medications or sleeping pills (talk to your doctor before stopping any medication)

Complications

Depression is a serious disorder that can take a terrible toll on you and your family. Depression often gets worse if it isn't treated, resulting in emotional, behavioral and health problems that affect every area of your life.

Examples of complications associated with depression include:

- Excess weight or obesity, which can lead to heart disease and diabetes
- · Pain or physical illness
- Alcohol or drug misuse
- · Anxiety, panic disorder or social phobia
- Family conflicts, relationship difficulties, and work or school problems
- Social isolation
- Suicidal feelings, suicide attempts or suicide
- · Self-mutilation, such as cutting
- Premature death from medical conditions

Prevention

There's no sure way to prevent depression. However, these strategies may help.

- Take steps to control stress, to increase your resilience and boost your self-esteem.
- Reach out to family and friends, especially in times of crisis, to help you weather rough spells.
- Get treatment at the earliest sign of a problem to help prevent depression from worsening.
- Consider getting long-term maintenance treatment to help prevent a relapse of symptoms.

By Mayo Clinic Staff

Depression (major depressive disorder) care at Mayo Clinic



Request an Appointment at Mayo Clinic



Share on: Facebook Twitter Print Feb. 03, 2018

References ~

Related

MAOIs and diet: Is it necessary to restrict tyramine?

Clinical depression: What does that mean?

Lexapro side effects: Is breast tenderness common?

Antidepressant withdrawal: Is there such a thing?

Mild depression: Are antidepressants effective?

Serotonin and norepinephrine reuptake inhibitors (SNRIs)

Depression: Supporting a family member or friend

Depression: Diagnosis is key

Antidepressants: Selecting one that's right for you

Monoamine oxidase inhibitors (MAOIs)

Antidepressants and alcohol: What's the concern?

Antidepressants: Which cause the fewest sexual side

effects?

Depression in women: Understanding the gender gap

Male depression

Depression: Provide support, encouragement

Vitamin B-12 and depression

Fish oil and depression

Caffeine and depression: Is there a link?

Pain and depression: Is there a link?

Nervous breakdown: What does it mean?

Depression, anxiety and exercise

Selective serotonin reuptake inhibitors (SSRIs)

Natural remedies for depression: Are they effective?

Treatment-resistant depression

Antidepressants: Can they stop working?

Atypical antidepressants

Antidepressants: Side effects

Antidepressants and weight gain: What causes it?

Depression and diet

Depression and anxiety: Can I have both?

Tricyclic antidepressants and tetracyclic antidepressants

Marijuana and depression

Tinnitus and antidepressants

Meditation

Mental health: Overcoming the stigma of mental illness

Stress symptoms

Symptom Checker

Pet therapy

Diabetes and depression: Coping with the two conditions

Managing depression in MS

Mental health providers: Tips on finding one

Sleep tips

Is depression a factor in rheumatoid arthritis?

Mediterranean diet recipes

Mindfulness exercises

What is reflexology?

Coping with the emotional ups and downs of psoriatic arthritis

IBD and depression: Is there a connection?

Support groups

Vitamin C and mood

Mental health

Depression during pregnancy

Empty nest syndrome

Antidepressants and pregnancy

Caregiver depression

After a flood, are food and medicines safe to use?

Breast-feeding and medications

Back pain

Headache

Unexplained weight loss

Fatigue

Mayo Clinic in Minnesota has been recognized as one of the top Psychiatry hospitals in the nation for 2017-2018 by U.S. News & World Report.

Learn more about this top honor

Depression (major depressive disorder)

Symptoms & causes

Diagnosis & treatment

Doctors & departments

Care at Mayo Clinic

Patient Care & Health Information > Diseases & Conditions > Depression (major depressive disorder)

CON-20257464



Request Appointment | Contact Us About Mayo Clinic | Employees Find a Job | Site Map | About This Site



Mayo Clinic is a notfor-profit organization. Make a donation.

PATIENT CARE	
& HEALTH INFO)

Healthy Lifestyle

Symptoms A-Z

Diseases and Conditions A-Z

Tests and Procedures A-Z

Drugs and Supplements A-Ζ

Appointments

Patient and Visitor Guide

Billing and Insurance

Patient Online Services

DEPARTMENTS & CENTERS

Doctors and Medical Staff

Medical Departments and Centers

Research Centers and **Programs**

About Mayo Clinic

Contact Us

RESEARCH

Explore Research Labs

Find Clinical Trials

Research Faculty

Postdoctoral **Fellowships**

Discovery's Edge Magazine

Search **Publications**

Training Grant Positions

EDUCATION

Mayo Clinic College of Medicine and Science

Mayo Clinic Graduate School of Biomedical Sciences

Mayo Clinic School of Medicine

Mayo Clinic School of Continuous Professional Development

Mayo Clinic School of Graduate Medical Education

Mayo Clinic School of Health Sciences

Alumni Center

FOR MEDICAL PROFESSIONALS SERVICES

Provider Relations

Referring Physician Portal

AskMayoExpert

Video Center

Publications

Continuing Medical Education

Mayo Medical Laboratories

PRODUCTS &

Healthy Living Program

Sports Medicine

Books and more - Mayo Clinic Marketplace

Mayo Clinic Health Letter

Medical **Products**

Population Health and Wellness Programs

Medical Laboratory Services

Mayo Clinic Voice Apps

Any use of this site constitutes your agreement to the Terms and Conditions and Privacy Policy linked below.

Terms and Conditions

Privacy Policy

Notice of Privacy Practices

Notice of Nondiscrimination

A single copy of these materials may be reprinted for noncommercial personal use only. "Mayo," "Mayo Clinic," "MayoClinic.org," "Mayo Clinic Healthy Living," and the tripleshield Mayo Clinic logo are trademarks of Mayo Foundation for Medical Education and Research.



This site complies with the HONcode standard for certified trustworthy health

information: verify here.

© 1998-2018 Mayo Foundation for Medical Education and Research (MFMER). All rights reserved.