

## Science News

from research organizations

### BPA risk factor for inflammatory bowel disease

*Date:* July 5, 2018

*Source:* Texas A&M AgriLife Communications

*Summary:* A recent study in a preclinical model of inflammatory bowel disease shows dietary exposure to bisphenol-A, or BPA, found in polycarbonate plastics and epoxy resins, can increase mortality and worsen its symptoms.

*Share:*     

#### FULL STORY

A recent study in a **preclinical model of inflammatory bowel disease** shows dietary exposure to bisphenol-A, or BPA, found in polycarbonate plastics and epoxy resins, can increase mortality and worsen its symptoms.

Dr. Clint Allred, a Texas A&M AgriLife researcher in the nutrition and food science department at Texas A&M University in College Station, led a study recently published in the *Experimental Biology and Medicine* journal.

"This is the first study to show that BPA can negatively impact gut microbial amino acid metabolism in a way that has been associated with irritable bowel disease," said Jennifer DeLuca, a graduate student in the nutrition and food science department and first author for the study.

Also participating on the study were Dr. Kimberly Allred, also with the nutrition and food science department, and Rami Menon, a chemical engineer in the department of chemical engineering at Texas A&M.

Irritable bowel disease, or IBD, is a complex collection of diseases that include ulcerative colitis and Crohn's disease. There is chronic inflammation of the digestive tract, and symptoms related to IBD can include severe diarrhea, abdominal pain, fatigue and weight loss. More serious instances can require lifelong treatment or possibly surgery.

"While the causes of IBD have not yet been determined, environmental exposures such as diet, smoking, infections, altered gut microbiome and toxins or pollutants are risk-factors for development and relapse," Allred said. "In this study, we wanted to focus on what effect BPA may have on IBD."

BPA is found in polycarbonate plastics often used in making containers to store food and beverages, such as water bottles. It is also found in epoxy resins used to coat the inside of metal products, such as food cans, bottle tops and water supply lines. In addition, some dental sealants and composites contain BPA.

Allred said research has previously shown BPA can seep into food or beverages from containers made with it and may have possible health effects on the behavior, the brain and prostate glands of fetuses, infants and children.

"The number of new cases of IBD are increasing, especially in nations that become more industrialized," he said. "While the causes of IBD have not yet been determined, several risk factors for developing it or worsening symptoms have been suggested. One such risk factor, the hormone estrogen, has been linked with an increased risk of IBD -- and BPA can act as an estrogen. Furthermore, BPA has been previously shown to alter gut microbes similarly to the way the gut microbiota is altered in IBD patients."

Because humans are frequently exposed to BPA through consumption of canned foods and the use of polycarbonate plastic containers, it's important to find out just what effects BPA exposure may have on IBD, he said. "To this end, we investigated the effects of BPA exposure in a pre-clinical model using mice with IBD."

In collaboration with the laboratory group of Dr. Arul Jayaraman from the chemical engineering department at Texas A&M, the researchers investigated the ability of BPA to exacerbate colonic inflammation and alter microbiota metabolites derived from aromatic amino acids in an acute dextran sulfate sodium-induced colitis model.

"We assessed body weight and fecal consistency in addition to inflammation, injury and nodularity of the colon," he explained. "We also analyzed changes in microbiota metabolite levels derived from aromatic amino acids reflecting changes in the gut microbiome."

Exposure to BPA also increased the levels of several compounds that drive inflammation in the colon, Allred said.

"Scat from animals exposed to BPA had reduced levels of compounds produced by gut bacteria from the breakdown of protein, including tryptophan and 5-hydroxy indole 3-acetic acid," he said. "These compounds are related to serotonin production and breakdown, and their reduction has been linked with IBD."

Allred said comprehensive study results showed BPA exposure increased mortality and worsened disease symptoms when compared to untreated groups.

"These types of studies are important to provide initial evidence that we need to better understand how things in the environment influence our risk of getting or worsening symptoms of diseases like IBD and how we can reduce that risk," he said.

---

### Story Source:

Materials provided by **Texas A&M AgriLife Communications**. Original written by Paul Schattenberg. *Note: Content may be edited for style and length.*

---

### Journal Reference:

1. Jennifer AA DeLuca, Kimberly F Allred, Rani Menon, Rebekah Riordan, Brad R Weeks, Arul Jayaraman, Clinton D Allred. **Bisphenol-A alters microbiota metabolites derived from aromatic amino acids and worsens disease activity during colitis**. *Experimental Biology and Medicine*, 2018; 243 (10): 864 DOI: 10.1177/1535370218782139

---

### Cite This Page:

MLA

APA

Chicago

Texas A&M AgriLife Communications. "BPA risk factor for inflammatory bowel disease." ScienceDaily. ScienceDaily, 5 July 2018. <[www.sciencedaily.com/releases/2018/07/180705125720.htm](http://www.sciencedaily.com/releases/2018/07/180705125720.htm)>.

## RELATED STORIES

---

### Catalysts Efficiently and Rapidly Remove BPA from Water

Aug. 2, 2017 — Chemists have developed an approach that quickly and cheaply removes more than 99 percent of bisphenol A (BPA) from water. BPA, a ubiquitous and dangerous chemical used in the manufacturing of many ...  
**read more »**

### Prenatal BPA Exposure Linked to Anxiety and Depression in Boys

Aug. 16, 2016 — Boys exposed prenatally to a common chemical used in plastics may be more likely to develop symptoms of anxiety and depression at age 10-12. The new study examined early life exposure to the chemical ...  
**read more »**

### BPA Changes Fetal Development of the Mammary Gland, Can Raise Breast Cancer Risk

Apr. 1, 2016 — A new culture system that tests the role of chemical exposure on the developing mammary gland has found that bisphenol A (BPA) directly affects the mammary gland of mouse embryos. The study show that ...  
**read more »**

### BPA Can Disrupt Sexual Function in Turtles, Could Be a Warning for Environmental Health

Apr. 15, 2015 — Bisphenol A (BPA) is a chemical used in food storage products and resins that line plastic beverage containers. Often, aquatic environments become reservoirs for BPA, and turtle habitats are ...  
**read more »**

## FROM AROUND THE WEB

---

*Below are relevant articles that may interest you. ScienceDaily shares links with scholarly publications in the TrendMD network and earns revenue from third-party advertisers, where indicated.*

### [New Biomarker of Intestinal Permeability Could Lead to Dx for Gut Function](#)

360Dx, 2019

### [Molecular Classifier Developed to Detect Cases of Pediatric Irritable Bowel Syndrome](#)

John Gilmore, 360Dx, 2019

### [Bühlmann Labs Gets FDA Clearance for Calprotectin Inflammatory IBD Assay](#)

staff reporter, 360Dx, 2018

### [IS-Diagnostics Readying PCR-Based Microbiota Characterization Kit to Diagnose IBD](#)

360Dx, 2017

### [Bühlmann Labs Gets FDA Clearance for Calprotectin Inflammatory -Bowel -Disease Assay](#)

360Dx, 2018

### [Bio-Rad Makes Equity Investment in Genetic Analysis](#)

staff reporter, 360Dx, 2016

## [Prescient Medicine, Metabionics Form GI Dx Partnership](#)

staff reporter, [360Dx](#), 2018

## [PredictImmune Wins £100K Grant for Study of IBD Prognostic](#)

Doug Macron, [360Dx](#), 2018

---

Powered by **TREND MD**



## Free Subscriptions

---

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

 [Email Newsletters](#)

 [RSS Feeds](#)

## Follow Us

---

Keep up to date with the latest news from ScienceDaily via social networks:

 [Facebook](#)

 [Twitter](#)

 [LinkedIn](#)

## Have Feedback?

---

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Staff](#) | [Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Editorial Policy](#) | [Terms of Use](#)

Copyright 2020 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice.

Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

[Do Not Sell My Personal Information](#)